



STERIGENIX

CERTIFICATE OF ANALYSIS

REPORT # RPT-2026-725217

Client Redline Bio Labs

Analyzed 06/03/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Selank 10MG
Form	Lyophilized Powder
Batch	SGX-RBL-2026-C36
Labeled Qty	10MG
Mol. Formula	C33H57N11O9
CAS Number	129954-34-3
Cap Color	Black
Crimp Color	Silver
Appearance	White Powder

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	Selank	Selank	✓
Batch Avg Purity (HPLC)	(>98%)	99.543%	✓
Net Peptide Content	10MG ± 10%	9.97MG	✓
Sterility	Bacterial Growth (Accelerator)	No Growth	✓

HEAVY METAL SCREENING

No data.

BATCH CONFORMITY RESULTS

No data.

SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-725217

Access Code: SGX-RBL-2026-C36